
CATALOGUE



Exporting Egypt Premium Marble and Granite to Europe





01

03

About Us

Mission & Vision

02

Materials

04

05

Exporting Department

Contact Us





Our History

Founded as part of United Brothers in 2004, our journey began with the local production of high-quality polished marble and granite. Over the years, we have built a strong reputation in Egypt for reliability, craftsmanship, and consistency. In 2010, driven by international demand and our passion for Egyptian natural stone, we established Egypt Premium Stone, a dedicated export arm focused on delivering the timeless beauty of Egyptian marble and granite to customers across Europe and beyond.

Why Us?

Egypt Premium Stone offers premium quality standards, how?

- -Blocks picked up from the quarries are carefully chosen
- -Our machinery gets weekly maintained for quality control
- -Our quality control team supervise in every production process
- -Packed with care in a fully secured wood packaging
- -Experience in logistics dealing with all types of shipping and payment terms in all of our ports

02 Mission & Vision

Our Mission

At Egypt Premium Stone, our mission is to deliver the finest Egyptian marble and granite to the international market by combining decades of craftsmanship with modern logistics and personalized service. We aim to build lasting partnerships through transparency, quality assurance, and a deep respect for our clients' needs.

Our Vision

To become a trusted global leader in exporting premium Egyptian marble and granite, renowned for quality, reliability, and the timeless elegance of our natural stone.

Our Core Values

1. Quality Without Compromise

We are committed to delivering only premium-grade Egyptian marble and granite that meet or exceed European standards.

2. Integrity & Transparency

We build long-term trust with our partners through honest communication, clear pricing, and ethical business practices.

3. Customer-Centric Approach

We listen closely to our clients' needs and provide tailored solutions, ensuring satisfaction from quarry to delivery.

4. Consistency & Reliability

We ensure on-time delivery, uniform quality, and dependable service on every shipment, every time.







At Egypt Premium Stone, we bring over 15 years of experience in marble and granite production to the international market. Our strength lies in managing the full production cycle—from carefully selecting raw blocks from **trusted** local quarries, to precision cutting, polishing, and finishing at our fully equipped facilities. With a **skilled** workforce, regular machine maintenance, and strict quality control at every stage, we ensure consistent, high-grade marble products tailored to the needs of European clients. Our hands-on approach, reliability, and long-standing presence in the local industry make us a trusted partner for **premium** Egyptian marble exports.

Feather Sunny



Specifications:

Visual Characteristics:

Appearance: Light beige to creamy yellow

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Minimal veining, more uniform appearance than

standard Feather Sunny

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized)

Uniqueness: Rich, Organic Look

Applications:

Ideal for feature walls & accent areas without overpowering other materials.

Silvia Menia

Specifications:



Visual Characteristics:

Appearance: Light beige to creamy yellow with subtle

horizontal veins

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed **Pattern:** Straight, linear veining

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized)

Uniqeness: Elegant Linear Veining and Availability

Applications:

Great for creating directional design flow (cladding/stairs)

Sunny Light

Specifications:



Visual Characteristics:

Appearance: Pale beige to light cream

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Minimal veining, more uniform appearance than

standard Feather Sunny

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized)

Uniqeness: Affordable Luxury

Applications:

Perfect for large, repetitive surfaces like hotel flooring

Sunny Yellow

Specifications:



Visual Characteristics:

Appearance: Rich yellow to golden beige with subtle to

moderate fossil markings and veining

Finish: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed**Pattern**: Naturally varied with

occasional dark veins or fossils

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized)

Uniqeness: Affordable Luxury

Applications:

Ideal for bold interiors or traditional/Mediterranean projects

Sinai Pearl Grey



Specifications:

Visual Characteristics:

Appearance: Medium grey with occasional beige undertones **Finish**: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Subtle fossil markings and light sedimentary lines

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: Naturally slip-resistant in matte or textured finishes

Applications:

Ideal for contemporary flooring, modern facades, outdoor paving, steps, and commercial spaces

Sinai Pearl Beige



Specifications:

Visual Characteristics:

Appearance: Light beige to warm cream

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Subtle natural fossil marks and mild grain movement

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: Good resistance to weathering – suitable for Mediterranean climates, and cost effective

Applications:

Great for flooring, wall cladding, stairs, facades, columns, landscaping

Galala Classic

Specifications:



Visual Characteristics:

Appearance: Warm beige to creamy yellow with fossilized spots and mild veins

Finish: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Medium variation with visible fossil marks

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Offers the best balance between quality and affordability

Applications:

Ideal for flooring, wall cladding, stairs and risers, countertops and threshholds, and exterior paving (especially warm climate)

Galala Extra

Specifications:



Visual Characteristics:

Appearance: Light creamy beige with soft golden hues

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Very uniform with fewer fossil marks

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Stands out for its high uniformity and refined appearance

Applications:

Perfect for luxury flooring, interior wall panels, countertops, bathroom vanities, lobbies, reception desks and elevators

Milly Grey



Specifications:

Visual Characteristics:

Appearance: Medium grey with faint white or smoky veining **Finish**: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Very subtle, linear or cloud-like veining

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Ideal for modern architectural projects requiring consistency in tone and texture

Applications:

Ideal for flooring and wall cladding in high-end kitchen, bathrooms and interior stairs, office buildings, hotels and retail

Milly Brow



Specifications:

Visual Characteristics:

Appearance: Medium brown to light chocolate

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Uniform background with cloudy or flowing veins


Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Offers a luxurious, natural feel, making it ideal for premium interior designs

Applications:


Great for luxury villa flooring, hotel lobbies, feature walls, high- end staircases, accent walls, spa and wellness interiors





At Egypt Premium Stone, we bring over 15 years of experience in marble and granite production to the international market. Our strength lies in managing the full production cycle—from carefully selecting raw blocks from **trusted** local quarries, to precision cutting, polishing, and finishing at our fully equipped facilities. With a **skilled** workforce, regular machine maintenance, and strict quality control at every stage, we ensure consistent, high-grade marble products tailored to the needs of European clients. Our hands-on approach, reliability, and long-standing presence in the local industry make us a trusted partner for **premium** Egyptian marble exports.

Halayeb



Specifications:

Visual Characteristics:

Appearance: Primarily white to pale grey base with fine black/ grey flecks or speckles

Finish: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Uniform speckled pattern with occasional small veins

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Balanced neutrality with subtle texture, ideal for projects needing a bright aesthetic with moderate veining

Applications:

Ideal for countertops, bathroom vanities, interior and exterior flooring, wall cladding, mosaic, fountains, stairs, window sills

New Halayeb



Specifications:

Visual Characteristics:

Appearance: Bold speckled mix of black, white, and grey crystals set against a light grey-beige base

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Coarse crystal pattern with striking contrast

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: High abrasion resistance and striking contrast, combining elegance and durability

Applications:

Ideal for kitchen countertops, high-traffic flooring, staircases, wall cladding, monuments, paving, columns, modern facades

Rosa El Nasr



Specifications:

Visual Characteristics:

Appearance: Dominant pink-to-rose hue

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Medium-grain texture with balanced speckling

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Ideal for luxurious installations that require long-term durability and visual continuity across elements

Applications:

Ideal for Kitchen and bathroom countertops, vanities, flooring, wall cladding, stairs, fireplaces, balustrades, mosaics, paving, and facades (Especially in weather-resistant finishes)

Rosa Hoody

Specifications:

Visual Characteristics:

Appearance: Light red to deep rose with subtle flecks

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Fine to medium crystalline texture with understated mineral speckling


Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Ideal where both durability and aesthetic uniformity are needed like in exterior architecture

Applications:

Perfect for interior and exterior wall and floor coverings, stairs, fireplaces, copings, balustrades, ornamental features

Red Forsan



Specifications:

Visual Characteristics:

Appearance: Rich red base tone with black, grey

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Fine to medium grain crystalline structure; consistent

speckle distribution without strong veining

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: Exceptional wear resistance and vibrant red tonemakes it a reliable choice for high-traffic, indoors and outdoors

Applications:

Ideal for kitchen countertops, flooring, wall cladding, stair treads, fountains, pool coping, window sills, and exterior paving

Royal Red



Specifications:

Visual Characteristics:

Appearance: Deep, uniform red color with minimal speckling **Finish**: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Very consistent crystalline texture—limited variation or inclusions—offering a clean, high-end aesthetic

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: Highly uniform red tone with premium grade visual purity, making it perfect for luxury projects


Applications:

Perfect for high-end worktops, flooring, monumental cladding, architectural façades, stairs, fountains, and decorative elements

Black Aswan



Red Aswan



Specifications:

Visual Characteristics:

Appearance: Deep, uniform black base enriched with fine flecks of silver, white, and gold

Finish: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Fine crystalline speckled texture

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Supreme durability paired with a sleek, deep-black aesthetic, making it ideal for luxury use and reseliency

Applications:

Ideal for kitchen and bathroom countertops, flooring, wall cladding, staircases, monuments, hotel lobbies, and exterior paving

Specifications:

Visual Characteristics:

Appearance: Rich and vibrant red to reddish-brown base, interspersed with black and orange mineral speckles
Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Coarse-to-very-coarse grain with uniform speckling


Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqeness: Offers a luxurious, natural feel, making it ideal for premium interior designs

Applications:

Great for countertops, flooring, wall cladding, stair treads, outdoor paving, garden features, and decorative architecture

Gandolla



Specifications:

Visual Characteristics:

Appearance: Medium-to-dark grey with soft rose flecks

Finish: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Salt-and-pepper crystalline look with medium to

coarse grain

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: Exceptional strength and consistent uniformity, making it ideal for heavy-duty architectural installations

Applications:

Perfect for countertops, kitchen islands, flooring, wall cladding, stairs, fireplaces, exterior paving, columns, landscaping

Verdi Green



Specifications:

Visual Characteristics:

Appearance: Vivid green with subtle gold, or black speckles **Finish**: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Medium grain crystalline texture with soft veining or speckling; adds depth while remaining harmoniously organic

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: High compressive strength and sleek vibrant green tone, excellent for use in spa and hospitality features

Applications:

Ideal for countertops, interior flooring, wall panels, poolsides, garden paving, fountains, facades, staircases, and accent walls

Egy Grey



Specifications:

Visual Characteristics:

Appearance: Light to medium grey background with well-distributed fine black and white grains

Finish: Polished, honed, brushed, sandblasted, bush-hammered, split face, antique/acid, flammed

Pattern: Uniform fine-to-medium crystalline with speckles

Physical Characteristics:


Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: Combines outstanding durability and slip resistance making it highly adaptable across design styles

Applications:

Ideal for flooring (interior/exterior), wall cladding, staircases, countertops, facades, exterior paving, and commercial lobbies

Brown Qusair

Specifications:



Visual Characteristics:

Appearance: Brown base with subtle black and grey mottling rich, earthy tone that adds depth and richness to surfaces **Finish**: Polished, honed, brushed, sandblasted, bush-hammered,

split face, antique/acid, flammed

Pattern: Fine-to-medium crystalline texture with speckling

Physical Characteristics:

Tile Size: 30x60 cm, 60x60 cm, 60x120 cm, or cut-to-size Slab Thickness: Commonly 2 cm and 3 cm (Customized) Uniqueness: Offers outstanding strength and minimal water absorption, ideal for humid or outdoor environments

Applications:

Great for wall and floor applications, countertops, mosaic work, fountains, pools, stairs, window sills, and decorative elements

04 Exporting Department

How the process works?

1-Quarry Extraction

Large marble and granite blocks are extracted from natural quarries using wire saws, chainsaws, or explosives.

2-Block Inspection & Grading

Each block is inspected for cracks, color consistency, and graded by quality.

3-Production Process

Blocks are cut into slab, undergo finishing processes and thickness calibration ensuring uniform thicknesses, then the slabs are trimmed to the required dimension tiles with clean, straight edges

4-Quality Control

Each tile is checked for surface finish, strength, and uniformity.

5-Packaging

Tiles may be coated or sealed to protect from stains and moisture during transport, then packed in strudy wooden crates with foam or plastic spacers to prevent breakage.

6-Shipping & Export Documentation

All export documents are prepared (invoice, packing list, certificate of origin), and goods are shipped to the destination port.



05 Contact Us

Tel:

+(2) 01055929299

Email:

info@eg-premiumstone.com

Location:

<u>United Brothers For marble and Granite, W8W6+M38,</u> El-Zahraa, Tura, Cairo Governorate 4064001

Social Media:

Instagram: <u>@EgyptPremiumStone</u>

Facebook: <u>EgyptPremiumStone</u>

